

PLUG POPPER



Williames

Leading by Innovation



**OPERATED PNEUMATICALLY OR
MANUALLY: FOOT PEDAL OPTION**

Williames Pty Limited
A B N 42 004 320 834
103 Butlers Track Warragul
Victoria 3820 Australia
phone: +61 3 5623 5755
fax: +61 3 5623 5165
email: sales@whi.com.au
web: www.williames.com



INTERCHANGEABLE BASE PLATE TO SUIT ALL KNOWN TRAY CONFIGURATIONS

Williames **PLUG POPPER** cleanly dislodges and ejects the plugs from the tray when the root growth behaviour of certain plants means the plugs are difficult to remove from the tray intact. Or if pulling the plug from the cell requires such force that the soil falls away from the root ball. The **Plug Popper** pushes the plug from the base in a clean, swift movement.

FEATURES

- Very easy to use
- Manually operated or air operated
- Suits all known trays
- Easy to change base plate to suit tray configuration
- Robust construction means low maintenance, high productivity, saving time and money

OPTIONS


- Foot pedal or lever operated

Dimensions (Approximate)


	METRIC	IMPERIAL
Width	700 mm	27.55"
Depth	400 mm	15.75"
Height	923 mm	36.38"

Sizes can be changed to suit tray dimensions

Williames Pty Limited
A B N 42 004 320 834
103 Butlers Track Warragul
Victoria 3820 Australia
phone: +61 3 5623 5755
fax: +61 3 5623 5165
email: sales@whiti.com.au
web: www.williames.com



END VIEW



SIDE VIEW

PLUG POPPER MACHINE